

Product Showcase

modinex.com.au



Genius resides within its simplicity

Alu Batten is a versatile architectural facade system suitable for use in residential commercial and industrial environments. It genius resides within its simplicity.

Whether horizontally or vertically aligned, with tis clean lines and contemporary look Alu Batten will bring a sophisticated aesthetic impression to any architectural environment.

Creativity	With a wide range of wood Grain and Powder Coating finishes with varying size options available. Alu Batten allows designers to realize their creative vision and bring their creations to life.	
	In the past such freedom could only be achieved with apprehension and inconsistency due to the nature of custom manufacturing.	
	With Alu Batten's standard size and modularity allows the supply of an accurate and consistent architectural batten system.	
Materials	Alu Batten architectural battens are extruded from 6060 T5 premium grade aluminium alloy. High corrosion resistance and weatherability perfect for commercial applications.	

Features and Benefits

Compliance — Sea Salt Spray certified

Fire rating — AS1530.1 non-combustible

Durability — 25-year structural & 15-year fading warranty (If plain or timber grain powder coating finish is used)

Availability - Manufactured 100% in Australia with a quick lead time

Sustainability — Available in Green & Supergreen aluminium to reduce CO2 emission by 50-75%

Design — Available in a range of plain colour or timber grain finishes

End caps — Available in a range of PVC or aluminium end caps



How to specify

Download REVIT files, installation instructions, product care and technical information at **modinex.com.au**



Choose your shape


25mm seriesPR-ALBTNOS-AL-25X2525mmW x 25mmDPR-ALBTNOS-AL-25X5025mmW x 50mmDPR-ALBTNOS-AL-25X7525mmW x 150mmDPR-ALBTNOS-AL-25X76025mmW x 150mmDPR-ALBTNOS-AL-25X16025mmW x 150mmD97 ALBTNOS-AL-25X16025mmW x 150mmD97 ALBTNOS-AL-25X16025mmW x 150mmD97 ALBTNOS-AL-25X16050mmW x 40mmD97 ALBTNOS-AL-50X2550mmW x 25mmD97 ALBTNOS-AL-50X2550mmW x 25mmD97 ALBTNOS-AL-50X5050mmW x 25mmD97 ALBTNOS-AL-50X10050mmW x 25mmD97 ALBTNOS-AL-50X10050mmW x 50mmD97 ALBTNOS-AL-50X10050mmW x 50mmDALBTNOS-AL-50X10050mmW x 50mmDALBTNOS-25X5025x50mm Batten End CapALBTNOS-25X10025x150mm Batten End CapALBTNOS-25X15050x50mm Batten End Cap	PROFILE CODE	DIMENSION		
PR-ALBTNOS-AL-26X5026mmW x 50mmDPR-ALBTNOS-AL-26X7526mmW x 100mmDPR-ALBTNOS-AL-26X16026mmW x 100mmDPR-ALBTNOS-AL-26X16026mmW x 100mmD40mm series1PR-ALBTNOS-AL-26X2520mm W x 40mmD50mm series50mmW x 25mmDPR-ALBTNOS-AL-60X2550mmW x 25mmDPR-ALBTNOS-AL-60X2550mmW x 50mmDPR-ALBTNOS-AL-60X7550mmW x 75mmDPR-ALBTNOS-AL-60X7550mmW x 100mmDPR-ALBTNOS-AL-60X7550mmW x 100mmDPR-ALBTNOS-AL-60X16050mmW x 100mmDPR-ALBTNOS-AL-50X16050mmW x 100mmDPR-ALBTNOS-AL-50X16050mmW x 100mmDPR-ALBTNOS-AL-50X16050mmW x 100mmDALBTNEC-25 x 5025x50mm BattenEnd CapALBTNEC-25 x 5025x75mm BattenEnd CapALBTNEC-25 x 10025x100mm BattenEnd CapALBTNEC-25 x 10025x100mm BattenEnd CapALBTNEC-25 x 10025x100mm BattenEnd CapALBTNEC-25 x 10025x100mm BattenEnd CapALBTNEC-25 x 10050x25mm BattenEnd CapALBTNEC-	25mm series			
PR-ALBTNOS-AL-26X17625mmW x 75mmDPR-ALBTNOS-AL-26X18025mmW x 100mmDPR-ALBTNOS-AL-26X18026mmW x 100mmD40mm series40mmW x 40mmDS0mm series50mmW x 25mmDPR-ALBTNOS-AL-60X2550mmW x 25mmDPR-ALBTNOS-AL-60X2550mmW x 25mmDPR-ALBTNOS-AL-60X2550mmW x 50mmDPR-ALBTNOS-AL-60X2550mmW x 50mmDPR-ALBTNOS-AL-50X5050mmW x 50mmDPR-ALBTNOS-AL-50X5050mmW x 50mmDPR-ALBTNOS-AL-50X10050mmW x 50mmDPR-ALBTNOS-AL-50X10050mmW x 100mmDPR-ALBTNOS-AL-50X10050mmW x 100mmDPR-ALBTNOS-AL-50X10050mmW x 100mmDPR-ALBTNOS-AL-50X10050mmW x 100mmDALBTNEC-25 x 2525x25mm Batten End CapALBTNEC-25 x 7525x50mm Batten End CapALBTNEC-25 x 7525x150mm Batten End CapALBTNEC-25 x 7525x150mm Batten End CapALBTNEC-50 x 2550x25mm Batten End CapALBTNEC-50 x 2550x75mm Batten End CapALBTNEC-50 x 2550x75mm Batten End CapALBTNEC-50 x 2550x75mm Batten End Cap <t< td=""><td>PR-ALBTNOS-AL-25X25</td><td colspan="2">25mmW x 25mmD</td></t<>	PR-ALBTNOS-AL-25X25	25mmW x 25mmD		
PFALBTNOS-AL-25X10025mmW x 100mmDPR-ALBTNOS-AL-25X15025mmW x 150mmD40mm series40mmW x 40mmDPR-ALBTNOS-AL-40X4040mmW x 40mmD50mm series50mmW x 25mmDPR-ALBTNOS-AL-50X2550mmW x 50mmD x 50mmV x 50mmDPR-ALBTNOS-AL-50X5050mmW x 50mmD x 50mmV x 50mmDPR-ALBTNOS-AL-50X10050mmW x 100mmDPR-ALBTNOS-AL-50X10050mmW x 100mmDPR-ALBTNOS-AL-50X10050mmW x 100mmDPR-ALBTNOS-AL-50X10050mmW x 100mmDALUTNIC-25 x 2525x25mm Batten End CapALBTNEC-25 x 2525x50mm Batten End CapALBTNEC-25 x 10025x100mm Batten End CapALBTNEC-25 x 15025x100mm Batten End CapALBTNEC-50 x 2550x25mm Batten End CapALBTNEC-50 x 2550x75mm Batten End CapALBTNEC-50 x 2550x75mm Batten End CapALBTNEC-50 x 2550x15mm Batten End CapALBTNE	PR-ALBTNOS-AL-25X50	25mmW x 50mmD		
PRALBTNOS-AL-25X150 25mmW x 150mmD 40mm series 40mmW x 40mmD 50mm series 50mmW x 25mmD PR-ALBTNOS-AL-40X40 40mmW x 40mmD 50mm series 50mmW x 25mmD PR-ALBTNOS-AL-50X25 50mmW x 25mmD PR-ALBTNOS-AL-50X50 50mmW x 50mmD PR-ALBTNOS-AL-50X75 50mmW x 75mmD PR-ALBTNOS-AL-50X100 50mmW x 100mmD PR-ALBTNOS-AL-50X100 50mmW x 100mmD ALBTNEC-25 x 25 25x25mm BattenEnd Cap ALBTNEC-25 x 25 25x50mm Batten End Cap ALBTNEC-25 x 75 25x100 mm Batten End Cap ALBTNEC-25 x 150 25x100mm Batten End Cap ALBTNEC-50 x 25 50x25mm Batten End Cap ALBTNEC-50 x 25 50x50mm Batten End Cap ALBTNEC-50 x 25 50x50mm Batten End Cap ALBTNEC-50 x 25 50x50mm Batten End Cap ALBTNEC-50 x 25 50x75mm Batten End Cap ALBTNEC-50 x 25 50x75mm Batten End Cap	PR-ALBTNOS-AL-25X75	25mmW x 75mmD		
40mm seriesPR-ALBTNOS-AL-40X4040mmWx 40mmD50mm seriesPR-ALBTNOS-AL-50X2550mmW x 25mmDPR-ALBTNOS-AL-50X5050mmW x 50mmDPR-ALBTNOS-AL-50X7550mmW x 75mmDPR-ALBTNOS-AL-50X10050mmW x 100mmDPR-ALBTNOS-AL-50X15050mmW x 100mmDPR-ALBTNOS-AL-50X15050mmW x 100mmDPR-ALBTNOS-AL-50X15050mmW x 150mmDALBTNEC-25 x 2525x25mm Batten End CapALBTNEC-25 x 7525x50mm Batten End CapALBTNEC-25 x 10025x100mm Batten End CapALBTNEC-25 x 10025x100mm Batten End CapALBTNEC-25 x 10025x100mm Batten End CapALBTNEC-25 x 10050x25mm Batten End CapALBTNEC-50 x 2550x25mm Batten End CapALBTNEC-50 x 2550x25mm Batten End CapALBTNEC-50 x 10050x25mm Batten End CapALBTNEC-50 x 10050x25mm Batten End CapALBTNEC-50 x 10050x25mm Batten End CapALBTNEC-50 x 10050x100mm Batten End Cap	PR-ALBTNOS-AL-25X100	25mmW x 100mmD		
PR-ALBTNOS-AL-40X40 40mmW x 40mmD 50mm series 50mmW x 25mmD PR-ALBTNOS-AL-50X25 50mmW x 25mmD PR-ALBTNOS-AL-50X50 50mmW x 50mmD PR-ALBTNOS-AL-50X75 50mmW x 50mmD PR-ALBTNOS-AL-50X70 50mmW x 75mmD PR-ALBTNOS-AL-50X100 50mmW x 100mmD PR-ALBTNOS-AL-50X150 50mmW x 100mmD PR-ALBTNOS-AL-50X150 50mmW x 100mmD PR-ALBTNOS-AL-50X150 50mmW x 150mmD ALBTNEC-25 x 25 25x25mm Batten End Caps ALBTNEC-25 x 50 25x25mm Batten End Cap ALBTNEC-25 x 150 25x150mm Batten End Cap ALBTNEC-25 x 150 25x150mm Batten End Cap ALBTNEC-25 x 150 25x150mm Batten End Cap ALBTNEC-25 x 150 50x25mm Batten End Cap ALBTNEC-50 x 25 50x25mm Batten End Cap ALBTNEC-50 x 25 50x25mm Batten End Cap ALBTNEC-50 x 75 50x75mm	PR-ALBTNOS-AL-25X150	25mmW x 150mmD		
50mm series PR-ALBTNOS-AL-50X25 50mmW x 25mmD PR-ALBTNOS-AL-50X50 50mmW x 50mmD PR-ALBTNOS-AL-50X75 50mmW x 75mmD PR-ALBTNOS-AL-50X100 50mmW x 75mmD PR-ALBTNOS-AL-50X100 50mmW x 100mmD PR-ALBTNOS-AL-50X150 50mmW x 150mmD Aluminium / Plastic Batten End Caps 25x25mm Batten End Cap ALBTNEC - 25 x 25 25x25mm Batten End Cap ALBTNEC - 25 x 75 25x75mm Batten End Cap ALBTNEC - 25 x 100 25x100mm Batten End Cap ALBTNEC - 25 x 100 25x100mm Batten End Cap ALBTNEC - 25 x 150 25x50mm Batten End Cap ALBTNEC - 25 x 150 50x25mm Batten End Cap ALBTNEC - 25 x 150 50x25mm Batten End Cap ALBTNEC - 50 x 25 50x25mm Batten End Cap ALBTNEC - 50 x 25 50x25mm Batten End Cap ALBTNEC - 50 x 75 50x75mm Batten End Cap ALBTNEC - 50 x 75 50x75mm Batten End Cap	40mm series			
PR-ALBTNOS-AL-50X25 50mmW x 25mmD PR-ALBTNOS-AL-50X50 50mmW x 50mmD PR-ALBTNOS-AL-50X75 50mmW x 75mmD PR-ALBTNOS-AL-50X100 50mmW x 100mmD PR-ALBTNOS-AL-50X150 50mmW x 100mmD PR-ALBTNOS-AL-50X150 50mmW x 100mmD ALBTNEC-45X150 50mmW x 100mmD ALBTNEC-25X25 25x25mm Batten End Cap ALBTNEC-25X50 25x50mm Batten End Cap ALBTNEC-25X75 25x75mm Batten End Cap ALBTNEC-25X100 25x100mm Batten End Cap ALBTNEC-25X150 25x100mm Batten End Cap ALBTNEC-25X150 25x100mm Batten End Cap ALBTNEC-50X150 50x25mm Batten End Cap ALBTNEC-50X150 50x50mm Batten End Cap ALBTNEC-50X150 50x75mm Batten End Cap ALBTNEC-50X150 50x75mm Batten End Cap	PR-ALBTNOS-AL-40X40	40mmW x 40mmD		
PR-ALBTNOS-AL-50X50 50mmW x 50mmD PR-ALBTNOS-AL-50X75 50mmW x 75mmD PR-ALBTNOS-AL-50X100 50mmW x 100mmD PR-ALBTNOS-AL-50X150 50mmW x 150mmD Aluminium / Plastic Batten End Caps Aluminium / Plastic Batten End Caps ALBTNEC - 25 x 25 25 x 25mm Batten End Cap ALBTNEC - 25 x 50 25 x 50mm Batten End Cap ALBTNEC - 25 x 75 25 x 50mm Batten End Cap ALBTNEC - 25 x 100 25 x 100mm Batten End Cap ALBTNEC - 25 x 100 25 x 100mm Batten End Cap ALBTNEC - 25 x 100 25 x 100mm Batten End Cap ALBTNEC - 25 x 100 25 x 100mm Batten End Cap ALBTNEC - 50 x 100 50 x 25mm Batten End Cap ALBTNEC - 50 x 25 50 x 25mm Batten End Cap ALBTNEC - 50 x 50 50 x 25mm Batten End Cap ALBTNEC - 50 x 75 50 x 25mm Batten End Cap ALBTNEC - 50 x 75 50 x 50mm Batten End Cap ALBTNEC - 50 x 75 50 x 50mm Batten End Cap ALBTNEC - 50 x 75 50 x 50mm Batten End Cap ALBTNEC - 50 x 75 50 x 50mm Batten End Cap	50mm series			
PR-ALBTNOS-AL-50X75 50mmW x75mmD PR-ALBTNOS-AL-50X100 50mmW x100mmD PR-ALBTNOS-AL-50X150 50mmW x150mmD Aluminium / Plastic Batten End Caps Aluminium / Plastic Batten End Caps ALBTNEC - 25 x 25 25x25mm Batten End Cap ALBTNEC - 25 x 50 25x50mm Batten End Cap ALBTNEC - 25 x 75 25x75mm Batten End Cap ALBTNEC - 25 x 100 25x100mm Batten End Cap ALBTNEC - 25 x 100 25x100mm Batten End Cap ALBTNEC - 25 x 100 25x100mm Batten End Cap ALBTNEC - 25 x 100 25x100mm Batten End Cap ALBTNEC - 25 x 100 25x100mm Batten End Cap ALBTNEC - 50 x 25 50x25mm Batten End Cap ALBTNEC - 50 x 25 50x25mm Batten End Cap ALBTNEC - 50 x 75 50x75mm Batten End Cap ALBTNEC - 50 x 75 50x75mm Batten End Cap ALBTNEC - 50 x 75 50x75mm Batten End Cap	PR-ALBTNOS-AL-50X25	50mmW x 25mmD		
PR-ALBTNOS-AL-50X100 50mmW x 100mmD PR-ALBTNOS-AL-50X150 50mmW x 150mmD Aluminium / Plastic Batten End Caps Aluminium / Plastic Batten End Caps ALBTNEC - 25 x 25 25x25mm Batten End Cap ALBTNEC - 25 x 50 25x50mm Batten End Cap ALBTNEC - 25 x 75 25x75mm Batten End Cap ALBTNEC - 25 x 100 25x100mm Batten End Cap ALBTNEC - 25 x 100 25x150mm Batten End Cap ALBTNEC - 25 x 100 25x150mm Batten End Cap ALBTNEC - 25 x 150 25x150mm Batten End Cap ALBTNEC - 25 x 150 50x25mm Batten End Cap ALBTNEC - 40 x 40 40x40mm Batten End Cap ALBTNEC - 50 x 25 50x25mm Batten End Cap ALBTNEC - 50 x 25 50x25mm Batten End Cap ALBTNEC - 50 x 75 50x75mm Batten End Cap ALBTNEC - 50 x 75 50x75mm Batten End Cap	PR-ALBTNOS-AL-50X50	50mmW x 50mmD		
PR-ALBTNOS-AL-50X15050mmW x 150mmDAluminium / Plastic Batten End CapsALBTNEC - 25 x 2525x25mm Batten End CapALBTNEC - 25 x 5025x50mm Batten End CapALBTNEC - 25 x 7525x75mm Batten End CapALBTNEC - 25 x 10025x100mm Batten End CapALBTNEC - 25 x 15025x150mm Batten End CapALBTNEC - 25 x 15025x150mm Batten End CapALBTNEC - 25 x 15025x150mm Batten End CapALBTNEC - 40 x 4040x40mm Batten End CapALBTNEC - 50 x 2550x25mm Batten End CapALBTNEC - 50 x 5050x50mm Batten End CapALBTNEC - 50 x 7550x75mm Batten End CapALBTNEC - 50 x 7550x75mm Batten End CapALBTNEC - 50 x 10050x75mm Batten End Cap	PR-ALBTNOS-AL-50X75	50mmW x 75mmD		
Aluminium / Plastic Batten End CapsALBTNEC - 25 × 2525 x 25 mm Batten End CapALBTNEC - 25 × 5025 x 50 mm Batten End CapALBTNEC - 25 × 7525 x 75 mm Batten End CapALBTNEC - 25 × 10025 x 100 mm Batten End CapALBTNEC - 25 × 15025 x 100 mm Batten End CapALBTNEC - 25 × 15025 x 150 mm Batten End CapALBTNEC - 40 × 4040 x 40 mm Batten End CapALBTNEC - 50 × 2550 x 25 mm Batten End CapALBTNEC - 50 × 2550 x 50 mm Batten End CapALBTNEC - 50 × 7550 x 50 mm Batten End CapALBTNEC - 50 × 7550 x 75 mm Batten End CapALBTNEC - 50 × 10050 x 100 mm Batten End Cap	PR-ALBTNOS-AL-50X100	50mmW x 100mmD		
ALBTNEC - 25 x 25 25x25mm Batten End Cap ALBTNEC - 25 x 50 25x50mm Batten End Cap ALBTNEC - 25 x 75 25x75mm Batten End Cap ALBTNEC - 25 x 100 25x100mm Batten End Cap ALBTNEC - 25 x 100 25x100mm Batten End Cap ALBTNEC - 25 x 150 25x150mm Batten End Cap ALBTNEC - 25 x 150 25x150mm Batten End Cap ALBTNEC - 25 x 150 25x150mm Batten End Cap ALBTNEC - 50 x 25 50x25mm Batten End Cap ALBTNEC - 50 x 25 50x50mm Batten End Cap ALBTNEC - 50 x 75 50x75mm Batten End Cap ALBTNEC - 50 x 75 50x75mm Batten End Cap ALBTNEC - 50 x 75 50x75mm Batten End Cap	PR-ALBTNOS-AL-50X150	50mmW x 150mmD		
ALBTNEC - 25 x 50 25x50mm Batten End Cap ALBTNEC - 25 x 75 25x75mm Batten End Cap ALBTNEC - 25 x 100 25x100mm Batten End Cap ALBTNEC - 25 x 150 25x150mm Batten End Cap ALBTNEC - 40 x 40 40x40mm Batten End Cap ALBTNEC - 50 x 25 50x25mm Batten End Cap ALBTNEC - 50 x 25 50x50mm Batten End Cap ALBTNEC - 50 x 75 50x75mm Batten End Cap ALBTNEC - 50 x 75 50x75mm Batten End Cap	Aluminium / Plastic Batten End Caps			
ALBTNEC - 25 x 7525 x 75 mm Batten End CapALBTNEC - 25 x 10025 x 100 mm Batten End CapALBTNEC - 25 x 15025 x 150 mm Batten End CapALBTNEC - 40 x 4040 x 40 mm Batten End CapALBTNEC - 50 x 2550 x 25 mm Batten End CapALBTNEC - 50 x 5050 x 50 mm Batten End CapALBTNEC - 50 x 7550 x 75 mm Batten End CapALBTNEC - 50 x 7550 x 75 mm Batten End CapALBTNEC - 50 x 7550 x 75 mm Batten End Cap	ALBTNEC - 25 x 25	25x25mm Batten End Cap		
ALBTNEC - 25 x 10025x100mm Batten End CapALBTNEC - 25 x 15025x150mm Batten End CapALBTNEC - 40 x 4040x40mm Batten End CapALBTNEC - 50 x 2550x25mm Batten End CapALBTNEC - 50 x 5050x50mm Batten End CapALBTNEC - 50 x 7550x75mm Batten End CapALBTNEC - 50 x 7550x75mm Batten End CapALBTNEC - 50 x 10050x100mm Batten End Cap	ALBTNEC - 25 x 50	25x50mm Batten End Cap		
ALBTNEC-25 x 15025x150mm Batten End CapALBTNEC-40 x 4040x40mm Batten End CapALBTNEC-50 x 2550x25mm Batten End CapALBTNEC-50 x 5050x50mm Batten End CapALBTNEC-50 x 7550x75mm Batten End CapALBTNEC-50 x 7550x75mm Batten End CapALBTNEC-50 x 10050x100mm Batten End Cap	ALBTNEC - 25 x 75	25x75mm Batten End Cap		
ALBTNEC-40×4040x40mm Batten End CapALBTNEC-50×2550x25mm Batten End CapALBTNEC-50×5050x50mm Batten End CapALBTNEC-50×7550x75mm Batten End CapALBTNEC-50×10050x100mm Batten End Cap	ALBTNEC - 25 x 100	25x100mm Batten End Cap		
ALBTNEC-50×2550x25mm Batten End CapALBTNEC-50×5050x50mm Batten End CapALBTNEC-50×7550x75mm Batten End CapALBTNEC-50×10050x100mm Batten End Cap	ALBTNEC - 25 x 150	25x150mm Batten End Cap		
ALBTNEC-50×50 50x50mm Batten End Cap ALBTNEC-50×75 50x75mm Batten End Cap ALBTNEC-50×100 50x100mm Batten End Cap	ALBTNEC - 40 x 40	40x40mm Batten End Cap		
ALBTNEC-50 x 7550x75mm Batten End CapALBTNEC-50 x 10050x100mm Batten End Cap	ALBTNEC - 50 x 25	50x25mm Batten End Cap		
ALBTNEC - 50 x 100 50x100mm Batten End Cap	ALBTNEC - 50 x 50	50x50mm Batten End Cap		
	ALBTNEC - 50 x 75	50x75mm Batten End Cap		
ALBTNEC - 50 x 150 50x150mm Batten End Cap	ALBTNEC - 50 x 100	50x100mm Batten End Cap		
	ALBTNEC - 50 x 150	50x150mm Batten End Cap		



Profiles


25mm series

25mm, 50mm, 75mm, 100mm and 150mm depth available



50mm series

25mm, 50mm, 75mm, 100mm and 150mm depth available



40mm series

40mm depth available



40mmW x 40mmD ALBTNOS - 40x40

Aluminium Timber Grain Finishes

- MXDURA

The MX Dura timber look finish is a next-generation signature double baked powder coat timber grain finish with a 3D grain, 25-year structural warranty and 15-year fading warranty for internal and external use.











Cedar

White Oak

Spotted Gum



Dark Cedar







Brushbox





English Oak





Silvertop Ash

White Birch



Silver Oak



African Ebony



- MXSUBLIMATION

The MX Sublimation timber look veneer finish is only suitable for internal use offering a 10-year structural warranty. Also known as sublimation.











Teak







Walnut



Grey Ash



Urban Ash



Solid Powder Coat Colours

*All Interpon or Dulux standard colours are available.

- ALPHA

The Alpha solid colour range is a collection of on trend solid colours, delivered with warranty grade advanced super durable polyester thermosetting powder.






*All Interpon or Dulux standard colours are available.

- CHARISMA

The Charisma[™] flat matt range features contemporary, solid colours in a flat matt finish for a subtle and sophisticated look, delivered with warranty grade advanced super durable polyester thermosetting powder.




- STRUTTURA

Flat

Flat

The Struttura Range is a collection of popular, highly mark and scuff resistant textured finishes built to protect. Delivered with warranty grade advanced highly durable polyester thermosetting powder.





Flat



CorTen Flat Textured



9

*All Interpon or Dulux standard colours are available.

- METTALICO

The Metallico anodised look range is a collection of unique anodised look finishes, designed to subtly change in appearance as light conditions after in the day, delivered with warranty grade advanced super durable polyesterthermosetting powder.





Flat

Flat





Flat



Fresh Gold Flat



Sensational Champange Flat



Brilliance Flat



Flat



Burnished Copper Flat



Dark Bronze Flat



Venerable Silver Flat



Anodised Colours



-MATT

The traditional sophisticated matt lustre (10% Gloss).




- ILLUSTRO

Best of both, this hybrid provides an elegant look and feel (30% Gloss).

Bold as Brass — E58TL	Medallion Bronze — E44TL	Macchiato — E36TL	Bronze Monument — E30TL	Gold Odyssey — E78GL
Blush — E64RL	Copper Coin — E56RL			

- BRIGHT

A brilliant finish that makes your product stand proud (80% Gloss).









Diamond Light — E87CB

Moonbeam — E74NB

Smokey Quartz — E60TB

Smooth Onyx — E25TB

Burnished Gold — E80GB



Create stunning wow factor with flexibility of style, texture, colour, shape and species. Talk with our design team today about how to maximise the grandeur of your space. Our extensive product range puts a wealth of inspiration at your fingertips. We can even collaborate with you to innovate custom solutions, specifically designed to bring your vision to life and elevate your space with exclusive designer appeal.

Modinex

Let us help you specify your next project

Contact P-1800 156 455 E-hello@modinex.com.au

Learn more

Inspiration and product downloads available at **modinex.com.au**

